



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

1/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name LAUDIS OD66 4X5L BOT IL
Product code (UVP) 06654681

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer AG
Kaiser-Wilhelm-Allee 1
51373 Leverkusen
Germany

Telefax +49(0)2173-38-7394

Responsible Department Chemical Regulatory Affairs
+49(0)2173-38-3409 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline (24h)
+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Reproductive toxicity: Category 2
H361d Suspected of damaging the unborn child.

Skin sensitisation: Category 1B
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

2/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Tembotrione
- Isoxadifen-ethyl



Signal word: Warning

Hazard statements

H361d	Suspected of damaging the unborn child.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Tembotrione: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Isoxadifen-ethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Phenylsulfonate Ca: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

3/13

Revision Date: 15.09.2022
Print Date: 09.05.2023Oil dispersion (OD)
Tembotrione/Isxadifen-ethyl 44:22 g/l**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Tembotrione	335104-84-2 608-879-8	Skin Sens. 1, H317 Repr. 2, H361d STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	4,71
Isxadifen-ethyl	163520-33-0 443-870-0 01-0000018707-62-0000	Skin Sens. 1, H317 Aquatic Acute 1, H400 Acute Tox. 4, H302 Aquatic Chronic 1, H410	2,16
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	922-153-0 01-2119451097-39-xxxx	Asp. Tox. 1, H304 Aquatic Chronic 2, H411	>= 10,0 – < 25,0
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6 01-2119964467-24-xxxx	Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	>= 1,0 – < 3,0
Octan-1-ol	111-87-5 203-917-6 01-2119486978-10-XXXX	Eye Irrit. 2, H319 Aquatic Chronic 3, H412	>= 1,0 – < 3,0
Fatty alcohol ethoxylate	78330-21-9	Eye Dam. 1, H318 Aquatic Chronic 3, H412	>= 1,0 – < 3,0

Further information

Tembotrione	335104-84-2	M-Factor: 100 (acute), 10 (chronic)
Isxadifen-ethyl	163520-33-0	M-Factor: 1 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

Particle characteristics

This substance/ mixture does not contain nanoforms

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).

Inhalation

Move to fresh air. If symptoms persist, call a physician.

Skin contact

Wash off immediately with polyethylene glycol 400, then with plenty of water. If symptoms persist, call a physician.



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

4/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth. Call a physician or poison control center immediately.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms	Aspiration may cause pulmonary oedema and pneumonitis. Shortness of breath, Diarrhoea, Vomiting, Fever, Headache, Gastro-intestinal irritation, Tiredness, Dizziness, Nausea
4.3 Indication of any immediate medical attention and special treatment needed	
Risks	Risk of solvent pneumopathy. Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen fluoride, Hydrogen chloride (HCl), Nitrogen oxides (NO_x), Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water.

**LAUDIS OD66 4X5L BOT IL**Version 10 / EU
102000013547

5/13

Revision Date: 15.09.2022

Print Date: 09.05.2023

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Collect and transfer the product into a properly labelled and tightly closed container.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store bulk material and packed materials in a closed warehouse or under cover protected against direct sunlight and frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials Coex HDPE/EVOH/HDPE

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0,15 mg/m ³ (SK-SEN)		OES BCS*
Isoxadifen-ethyl	163520-33-0	1 mg/m ³ (SK-SEN)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the

**LAUDIS OD66 4X5L BOT IL**Version 10 / EU
102000013547

6/13

Revision Date: 15.09.2022
Print Date: 09.05.2023

following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet. Material Nitrile rubber Rate of permeability > 480 min Glove thickness > 0,4 mm Protective index Class 6 Directive Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 4 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
General protective measures	If product is handled while not enclosed, and if contact may occur: Complete suit protecting against chemicals

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	dispersion
Colour	yellow to red-brown
Odour	aromatic
Odour Threshold	No data available
Melting point/range	No data available
Boiling Point	No data available
Flammability	No data available

**LAUDIS OD66 4X5L BOT IL**Version 10 / EU
1020000135477/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

Upper explosion limit	No data available
Lower explosion limit	No data available
Flash point	> 100 °C
Auto-ignition temperature	No data available
Ignition temperature	270 °C
Self-accelarating decomposition temperature (SADT)	No data available
pH	3,5 - 5,0 (10 %) (23 °C) (deionized water)
Viscosity, dynamic	No data available
Viscosity, kinematic	ca. 330 mm ² /s (40 °C) Shear rate of 20/sec ca. 110 mm ² /s (40 °C) Shear rate of 100/sec
Water solubility	No data available
Partition coefficient: n-octanol/water	Tembotrione: log Pow: -1,09 Isoxadifen-ethyl: log Pow: 3,8 Phenylsulfonate Ca: log Pow: 4,6
Surface tension	31 mN/m (25 °C) Determined in the undiluted form.
Vapour pressure	No data available
Density	ca. 1,02 g/cm ³ (20 °C)
Relative density	No data available
Relative vapour density	No data available
Assessment nano particles	This substance/ mixture does not contain nanoforms
Particle size	No data available
9.2 Other information	
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
Oxidizing properties	No oxidizing properties
Evaporation rate	No data available
Other physico-chemical properties	Further safety related physical-chemical data are not known.



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

8/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in regulation (EC) No 1272/2008

Acute oral toxicity	LD50 cut-off (Rat) \geq 5.000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 3,59 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.
Acute dermal toxicity	LD50 (Rat) > 4.000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Sensitising (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Tembotrione: Based on available data, the classification criteria are not met.
Isoxadifen-ethyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Tembotrione caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney, Liver.
Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.
Phenylsulfonate Ca did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Phenylsulfonate Ca was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

**LAUDIS OD66 4X5L BOT IL**Version 10 / EU
102000013547

9/13

Revision Date: 15.09.2022
Print Date: 09.05.2023

Tembotrione caused an increased incidence of tumours in rats in the following organ(s): Cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Phenylsulfonate Ca is not considered carcinogenic.

Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats.

Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

Phenylsulfonate Ca did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.

Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

Phenylsulfonate Ca did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties****Assessment**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 32 mg/l
Exposure time: 96 h

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 18 mg/l
Exposure time: 48 h

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 3,6 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)) 140 µg/l
Exposure time: 7 d

12.2 Persistence and degradability**Biodegradability**

Tembotrione:
Not rapidly biodegradable
Isoxadifen-ethyl:
Not rapidly biodegradable
Phenylsulfonate Ca:
Not rapidly biodegradable



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

10/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

Koc Tembotrione: Koc: 66
Isoxadifen-ethyl: Koc: 2512; log Koc: 3,4
Phenylsulfonate Ca: Koc: 2,74

12.3 Bioaccumulative potential

Bioaccumulation Tembotrione:
Does not bioaccumulate.
Isoxadifen-ethyl:
Does not bioaccumulate.
Phenylsulfonate Ca: Bioconcentration factor (BCF) 3,16
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Tembotrione: Mobile in soils
Isoxadifen-ethyl: Slightly mobile in soils
Phenylsulfonate Ca: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Tembotrione: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Isoxadifen-ethyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Phenylsulfonate Ca: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

11/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

Waste key for the unused product **02 01 08*** agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

**LAUDIS OD66 4X5L BOT IL**Version 10 / EU
102000013547

12/13

Revision Date: 15.09.2022
Print Date: 09.05.2023**15.2 Chemical safety assessment**

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation



LAUDIS OD66 4X5L BOT IL

Version 10 / EU
102000013547

13/13
Revision Date: 15.09.2022
Print Date: 09.05.2023

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2020/878 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2020/878. Checked and revised for editorial purposes due to adjustments according to the current Annex II of the REACH regulation.

The following sections have been revised: Section 3: Composition / Information on Ingredients.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.