

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Niax* silicone L-598/STL DR/210KG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Used in the manufacturing of polyurethane foam.

Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distributor Information : Momentive Performance Materials GmbH
Chempark Leverkusen Gebaeude V7
DE - 51368 Leverkusen
Germany

Contact person : commercial.services@momentive.com

Telephone : General information
+390510924300 (Customer Service Centre)

1.4

Emergency telephone number : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Environmental Hazards

Chronic hazards to the aquatic environment

Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label Elements



Hazard Statement(s): H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: P273: Avoid release to the environment.

Response: P391: Collect spillage.

Disposal: **Niax* silicone L-598/STL DR/210KG**
 P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Unknown toxicity - Environment

Acute hazards to the aquatic environment 0 %
 Chronic hazards to the aquatic environment 0 %

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Siloxane Polyalkyleneoxide Copolymer

3.2 Mixtures

General information: No data available.

| Chemical name | Concentration | CAS-No. | EC No. | REACH Registration No. | M-Factor: | Notes |
|-------------------------------|---------------|----------|-----------|------------------------|--------------------------------|-----------|
| Octamethylcyclotetrasiloxane | 0,25 - <1% | 556-67-2 | 209-136-7 | 01-2119529238-36-XXXX | Aquatic Toxicity (Chronic): 10 | PBT, vPvB |
| Decamethylcyclopentasiloxane | 0,1 - <1% | 541-02-6 | 208-764-9 | 01-2119511367-43-XXXX | Not applicable | vPvB |
| Dodecamethylcyclohexasiloxane | 0,1 - <1% | 540-97-6 | 208-762-8 | 01-2119517435-42-XXXX | Not applicable | vPvB |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

| Chemical name | Classification | Notes |
|-------------------------------|---|--------------------|
| Octamethylcyclotetrasiloxane | Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1: H410; | No data available. |
| Decamethylcyclopentasiloxane | No data available. | |
| Dodecamethylcyclohexasiloxane | No data available. | |

CLP: Regulation No. 1272/2008.

Niax* silicone L-598/STL DR/210KG

SECTION 4: First aid measures

General: Get medical attention if symptoms occur.

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms occur.

Eye contact: Get medical attention if symptoms occur. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Skin Contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Ingestion: DO NOT induce vomiting. Get medical attention immediately. Do not give victim anything to drink if he is unconscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2 Most important symptoms and effects, both acute and delayed: None known.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No information about adverse effects due to exposure.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water.

SECTION 5: Firefighting measures

General Fire Hazards: Do not use water jet as an extinguisher, as this will spread the fire. Use water spray to keep fire-exposed containers cool.

**5.1 Extinguishing media
 Suitable extinguishing media:**

Alcohol resistant foam. Carbon dioxide Dry chemical.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed.

**5.3 Advice for firefighters
 Special fire fighting procedures:**

Take precautionary measures against static discharges. To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system.

Special protective equipment for fire-fighters:

Wear self-contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes, skin, and clothing. Avoid contact with liquid and vapors. Use personal protective equipment. Use only in well-ventilated areas.

6.2 Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

| | |
|--|---|
| 6.3 Methods and material for containment and cleaning up: | Niax* silicone L-598/STL DR/210KG Absorb spillage with suitable absorbent material. Shovel up and place in a container for salvage or disposal. |
| 6.4 Reference to other sections: | Remove sources of ignition. In case of spills, beware of slippery floors and surfaces. See Section 8 of the SDS for Personal Protective Equipment. Collect and dispose of spillage as indicated in section 13 of the SDS. |

SECTION 7: Handling and storage:

| | |
|--|---|
| 7.1 Precautions for safe handling: | Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Wash hands after handling. Provide adequate ventilation. Avoid inhalation of dust and vapors. |
| Storage conditions: | Keep container tightly closed. Keep away from sources of ignition - No smoking. |
| 7.2 Conditions for safe storage, including any incompatibilities: | Keep container tightly closed. Keep away from sources of ignition - No smoking. |
| Storage Stability: | No data available. |
| 7.3 Specific end use(s): | Avoid forming spray/aerosol mists. Avoid inhalation of aerosols. |

SECTION 8: Exposure controls/personal protection

| | |
|--|--|
| 8.1 Control Parameters | |
| Occupational Exposure Limits | None of the components have assigned exposure limits. |
| Biological Limit Values | None. |
| 8.2 Exposure controls | |
| Appropriate Engineering Controls: | Eyewash bottle with clean water. No special requirements under ordinary conditions of use and with adequate ventilation. Use only in well-ventilated areas. |
| Individual protection measures, such as personal protective equipment | |
| General information: | Use only in well-ventilated areas. Do not eat, drink or smoke when using the product. Wash hands after handling. Practice good housekeeping. |
| Eye/face protection: | Safety glasses with side-shields conforming to EN166 |
| Skin protection | |
| Hand Protection: | Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries. |
| Other: | Safety shoes Long sleeves |
| Respiratory Protection: | In case of insufficient ventilation, wear suitable respiratory equipment. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wear suitable gloves and eye/face protection. Avoid inhalation of vapors and spray mists. |

Environmental exposure controls:

Niax* silicone L-598/STL DR/210KG

No release to wastewater from process as such, wastewater emissions limited to release generated from final equipment cleaning step using water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|---|---------------------------------|
| Physical state: | liquid |
| Form: | liquid |
| Color: | Pale yellow |
| Odor: | No data available. |
| Odor Threshold: | No data available. |
| pH: | No data available. |
| Freezing point: | -39 °C estimated |
| Boiling Point: | > 150 °C (1.013 hPa) estimated |
| Flash Point: | 115 °C (ASTM D 93) |
| Evaporation Rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Flammability Limit - Upper (%): | No data available. |
| Flammability Limit - Lower (%): | No data available. |
| Vapor pressure: | < 1,33 hPa (20 °C) estimated |
| Relative vapor density: | No data available. |
| Density: | 1,026 g/cm ³ (20 °C) |
| Relative density: | No data available. |
| Solubility(ies) | |
| Solubility in Water: | Soluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water) Log Pow: | No data available. |
| | |
| Autoignition Temperature: | No data available. |
| Decomposition Temperature: | No data available. |
| SADT: | No data available. |
| Viscosity, dynamic: | No data available. |
| Viscosity, kinematic: | 700 mm ² /s |
| Explosive properties: | No data available. |
| Oxidizing properties: | No data available. |

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1 Reactivity: | No data available. |
| 10.2 Chemical Stability: | Material is stable under normal conditions. |
| 10.3 Possibility of hazardous reactions: | Hazardous polymerization does not occur. |
| 10.4 Conditions to avoid: | High Temperatures |
| 10.5 Incompatible Materials: | Strong oxidizing agents. |

| | |
|---|--|
| 10.6 Hazardous Decomposition Products: | Niax* silicone L-598/STL DR/210KG In case of fire, gives off (emits): Carbon oxides Oxides of silicon. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation. |
|---|--|

| |
|--|
| SECTION 11: Toxicological information |
|--|

General information: This product is not tested.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasiloxane LD 50 (Rat): > 4.800 mg/kg

Decamethylcyclopentasiloxane No data available.

Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasiloxane LD 50 (Rat): > 2.375 mg/kg

Decamethylcyclopentasiloxane LD 50 (Rabbit): > 2.000 mg/kg

Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Octamethylcyclotetrasiloxane LC50 (Rat, 4 h): 36 mg/l

Decamethylcyclopentasiloxane LC50 (Rat, 4 h): 8,67 mg/l

Dodecamethylcyclohexasiloxane No data available.

Repeated dose toxicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.

Decamethylcyclopentasiloxane NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg
 NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg

| | |
|---|---|
| Dodecamethylcyclohexasiloxane | <p>Niax* silicone L-598/STL DR/210KG NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm NOAEL (Rat(male and female), Oral): 1.000 mg/kg</p> |
| Skin Corrosion/Irritation: | |
| Product: | No data available. |
| Specified substance(s) | |
| Octamethylcyclotetrasiloxane | OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Slightly irritating. |
| Decamethylcyclopentasiloxane | OECD Test Guideline 404 (Rabbit, 72 h): Non irritating |
| Dodecamethylcyclohexasiloxane | OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation |
| Serious Eye Damage/Eye Irritation: | |
| Product: | No data available. |
| Specified substance(s) | |
| Octamethylcyclotetrasiloxane | OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating |
| Decamethylcyclopentasiloxane | OECD Test Guideline 405 (Rabbit, 72 h): Non irritating |
| Dodecamethylcyclohexasiloxane | OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating |
| Respiratory or Skin Sensitization: | |
| Product: | No data available. |
| Specified substance(s) | |
| Octamethylcyclotetrasiloxane | Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Not sensitizing |
| Decamethylcyclopentasiloxane | LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing. |
| Dodecamethylcyclohexasiloxane | Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative |
| Germ Cell Mutagenicity | |
| In vitro | |
| Product: | No data available. |
| Specified substance(s) | |
| Octamethylcyclotetrasiloxane | Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic) |
| Decamethylcyclopentasiloxane | Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic) |
| Dodecamethylcyclohexasiloxane | No data available. |
| In vivo | |
| Product: | No data available. |
| Specified substance(s) | |
| Octamethylcyclotetrasiloxane | Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative |

Decamethylcyclopentasiloxane
 Dodecamethylcyclohexasiloxane

Niax* silicone L-598/STL DR/210KG
 (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
 OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Other effects: Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large

Niax* silicone L-598/STL DR/210KG

doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day, 14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.

Decamethylcyclopentasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

Dodecamethylcyclohexasiloxane No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane No data available.

Decamethylcyclopentasiloxane EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Niax* silicone L-598/STL DR/210KG

oxane
Dodecamethylcyclohexas
iloxane No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox
ane No data available.
Decamethylcyclopentasil
oxane NOEC (Oncorhynchus mykiss, 90 d): $\geq 0,0014$ mg/l (OECD-Guideline 210)
LOEC (Oncorhynchus mykiss, 90 d): $> 0,0014$ mg/l (OECD-Guideline 210)
Dodecamethylcyclohexas
iloxane NOEC (Pimephales promelas, 49 d): $0,0044$ mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox
ane No data available.
Decamethylcyclopentasil
oxane NOEC (Daphnia magna, 21 d): $\geq 0,0015$ mg/l (OECD-Guideline 211)
LOEC (Daphnia magna, 21 d): $> 0,0015$ mg/l
Dodecamethylcyclohexas
iloxane NOEC (Daphnia magna, 21 d): $0,0046$ mg/l
EC50 (Sediment Invertebrate, 28 d): > 420 mg/l
LOEC (Sediment Invertebrate, 28 d): ≥ 420 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox
ane No data available.
Decamethylcyclopentasil
oxane EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): $> 0,0012$ mg/l (OECD
Test Guideline 201)
NOEC : $\geq 0,0012$ mg/l
EC10 : $> 0,0012$ mg/l
Dodecamethylcyclohexas
iloxane EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): $> 0,002$ mg/l (OECD
Test Guideline 201)
NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): $\geq 0,002$ mg/l
(OECD Test Guideline 201)

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasilox
ane (29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels (Headspace
Test)): 3,7 % Persistent Not readily biodegradable.
Decamethylcyclopentasil
oxane activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):
0,14 % The product is not readily biodegradable.
Dodecamethylcyclohexas
iloxane No data available.

BOD/COD Ratio

Product: No data available.

Specified substance(s)

Niax* silicone L-598/STL DR/210KG

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

Octamethylcyclotetrasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 12,40
 Decamethylcyclopentasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)
 Dodecamethylcyclohexasiloxane No data available.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

12.5 Results of PBT and vPvB assessment:

| | | |
|------------------------------|--|---|
| Octamethylcyclotetrasiloxane | Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) | Octamethylcyclotetrasiloxane (D4) meets the current EU REACH Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i> |
| Decamethylcyclopentasiloxane | vPvB: very persistent and very bioaccumulative substance. | Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i> |

| | | |
|------------------------------|---|--|
| Dodecamethylcyclhexasiloxane | Niax* silicone L-598/STL DR/210KG vPvB: very persistent and very bioaccumulative substance. | Dodecamethylcyclhexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i> |
|------------------------------|---|--|

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

- 14.1 UN number or ID number: UN 3082
- 14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Octamethylcyclotetrasiloxane)
- 14.3 Transport Hazard Class(es)
 - Class: 9
 - Label(s): 9
 - Hazard No. (ADR): 90
 - Tunnel restriction code: (-)
- 14.4 Packing Group: III
- 14.5 Environmental Hazards:
 - Yes
 - Marine Pollutant: Yes

ADN

- 14.1 UN number or ID number: UN 3082
- 14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Octamethylcyclotetrasiloxane)
- 14.3 Transport Hazard Class(es)
 - Class: 9
 - Label(s): 9
- 14.4 Packing Group: III
- 14.5 Environmental Hazards:
 - Yes
 - Marine Pollutant: Yes

RID

- 14.1 UN number or ID number: UN 3082

Niax* silicone L-598/STL DR/210KG

| | |
|---------------------------------|---|
| 14.2 UN Proper Shipping Name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Octamethylcyclotetrasiloxane) |
| 14.3 Transport Hazard Class(es) | |
| Class: | 9 |
| Label(s): | 9 |
| 14.4 Packing Group: | III |
| 14.5 Environmental Hazards: | Yes |
| Marine Pollutant | Yes |

IMDG

| | |
|---------------------------------|---|
| 14.1 UN number or ID number: | UN 3082 |
| 14.2 UN Proper Shipping Name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Octamethylcyclotetrasiloxane) |
| 14.3 Transport Hazard Class(es) | |
| Class: | 9 |
| Label(s): | 9 |
| EmS No.: | F-A, S-F |
| 14.4 Packing Group: | III |
| 14.5 Environmental Hazards: | Yes |
| Marine Pollutant: | Yes |

IATA

| | |
|----------------------------------|---|
| 14.1 UN number or ID number: | UN 3082 |
| 14.2 Proper Shipping Name: | Environmentally hazardous substance, liquid, n.o.s.(Octamethylcyclotetrasiloxane) |
| 14.3 Transport Hazard Class(es): | |
| Class: | 9 |
| Label(s): | 9MI |
| 14.4 Packing Group: | III |
| 14.5 Environmental Hazards: | Yes |
| Marine Pollutant: | Yes |

14.6 Special precautions for user: In accordance with National and International regulations for Dangerous Goods and applicable Special Provisions, products otherwise classified as a Dangerous Goods for transport, with Class 9, UN 3077 or UN 3082, need not be packed, marked, labeled or placarded as a Dangerous Goods, when shipped in Single or combination packagings, containing a net quantity per single or inner packaging of 5 L or less, for liquids or having a net mass of 5 kg or less, for solids

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

Niax* silicone L-598/STL DR/210KG

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

| Chemical name | CAS-No. | Concentration |
|-------------------------------|----------|---------------|
| Octamethylcyclotetrasiloxane | 556-67-2 | 0 - <=0,39% |
| Decamethylcyclopentasiloxane | 541-02-6 | 0 - <=0,29% |
| Dodecamethylcyclohexasiloxane | 540-97-6 | 0 - <=0,1% |

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

| Chemical name | CAS-No. | Concentration |
|------------------------------|----------|---------------|
| Octamethylcyclotetrasiloxane | 556-67-2 | 0,1 - 1,0% |
| Decamethylcyclopentasiloxane | 541-02-6 | 0,1 - 1,0% |

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

| Chemical name | CAS-No. | Concentration |
|------------------------------|----------|---------------|
| Octamethylcyclotetrasiloxane | 556-67-2 | 0,1 - 1,0% |

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

| Chemical name | CAS-No. | Concentration |
|------------------------------|----------|---------------|
| Octamethylcyclotetrasiloxane | 556-67-2 | - 1,4% |

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

| Chemical name | CAS-No. | Concentration |
|------------------------------|----------|---------------|
| Octamethylcyclotetrasiloxane | 556-67-2 | 0,1 - 1,0% |

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

| | | |
|--|----------------------|----------------|
| Australia AICS: | y (positive listing) | Remarks: None. |
| EU EINECS List: | y (positive listing) | Remarks: None. |
| Japan (ENCS) List: | y (positive listing) | Remarks: None. |
| China Inventory of Existing Chemical Substances: | y (positive listing) | Remarks: None. |
| Korea Existing Chemicals Inv. (KECI): | y (positive listing) | Remarks: None. |
| Canada DSL Inventory List: | y (positive listing) | Remarks: None. |
| Canada NDSL Inventory: | n (negative listing) | Remarks: None. |

Niax* silicone L-598/STL DR/210KG

| | | |
|----------------------------------|----------------------|----------------|
| Philippines PICCS: | y (positive listing) | Remarks: None. |
| US TSCA Inventory: | y (positive listing) | Remarks: None. |
| Taiwan. Taiwan inventory (CSNN): | y (positive listing) | Remarks: None. |

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data: No data available.

Wording of the H-statements in section 2 and 3

| | |
|-------|---|
| H226 | Flammable liquid and vapor. |
| H361f | Suspected of damaging fertility. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

Training information: No data available.

Issue Date: 29.10.2021

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only. They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.